

**CiteSeer**Find: [Documents](#)[Citations](#)Searching for particle and catch net.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)**No documents match Boolean query. Trying non-Boolean relevance query.**500 documents found. **Order: relevance to query.**'Falling Cat' Connections Constructed from the Momentum Map - Fecko (Correct)R 3 corresponding to a rigid rotation of a N-**particle** system the formula obtained earlier by  
<ftp.maths.tcd.ie/pub/EMIS/proceedings/6ICDGA/III/fecko.ps>Multibody Final States of - The Omega (Correct)ffl The hadronic production of any charmed **particle** is strongly suppressed as compared to the total[vsnhd1.cern.ch/publications/ps/baryon95\\_rwe.ps.gz](vsnhd1.cern.ch/publications/ps/baryon95_rwe.ps.gz)Nonlocal Transport of Passive Scalars in Turbulent.. - Miesch, Brandenburg.. (1996)(Correct)the assumption of locality, which means that a **particle** is carried only a very short distance by oneFrom the above quantities, we can also define the **net** upward flux,  $F_{net} = \sum_k \langle v_k \rangle$ we can also define the **net** upward flux,  $F_{net} = \sum_k \langle v_k \rangle$   $\Gamma F$ [www.nordita.dk/Adm/Activities/pre96/9607.ps.gz](http://www.nordita.dk/Adm/Activities/pre96/9607.ps.gz)PRODUCTION IN Pb-Pb AND p-Pb INTERACTIONS AT 158 A - GeV Presented (Correct)Birmingham, UK e CERN, European Laboratory for **Particle** Physics, Geneva, Switzerland  
f Dipartimento di[www.cern.ch/WA97/papers/moriond98.ps](http://www.cern.ch/WA97/papers/moriond98.ps)Particle Acceleration in Flares - Benz Kosugi (Correct)**Particle** Acceleration in Flares A. O. Benz 1 T.Utrecht, P.O. Box 80000, NL-3508 TA Utrecht, the **Netherlands** Received:[mimas.ethz.ch/papers/benz/flares22/flares22.ps](http://mimas.ethz.ch/papers/benz/flares22/flares22.ps)The Isotropy of the Pressure in Anisotropic Systems - Masters Department (Correct)(1) where V is the volume of the system, m is the **particle** mass,  $v_i$  is the velocity of **particle** i,  $r_{ij}$  is<ftp.dl.ac.uk/ccp5.newsletters/39/ps/masters.ps>Epistemology, Reliable Inquiry and Topology - Schulte, Juhl (1996) (Correct)there only finitely many (types of) elementary **particles**? Let us take as our data annual reports from[www.cs.ualberta.ca/~oschulte/papers/monist.ps.gz](http://www.cs.ualberta.ca/~oschulte/papers/monist.ps.gz)Entropy, Lyapunov exponents and mean free path for billiards - Chernov (1997) (Correct)Q is generated by the free motion of a pointlike **particle** at unit speed in the table Q with

specular

mpej.unige.ch/mp\_arc/html/mp\_arc/c/97/97-205.ps.gz

The application of recursive aggregate T-matrix algorithm in the.. - Lu And (Correct)

of the extinction rate of random distribution of **particles** C. C. Lu and W. C. Chew

Department of

dspark.ece.uiuc.edu/~master/e\_papers/lct95.ps

Halo World: Tools for Parallel Cluster Finding in Astrophysical - Body Simulations

(Correct)

halos from simulations with up to 16.8 million **particles**. 1. Introduction According to current

www.cacr.caltech.edu/~johns/pubs/dmkd/haloworld.ps.gz

The TESLA Detector - Schreiber (Correct)

will be essential instruments to explore **particle** physics in the energy range up to the TeV scale

scipp.ucsc.edu/papers/e-e-97/psfiles/schreiber2.ps

Mesh-free Particle Methods - Belytschko, Dolbow, Krongauz (Correct)

Mesh-free **Particle** Methods T. Belytschko, J. Dolbow and Y.

tam6.mech.nwu.edu/jed/ices98.ps

A Multipole-Based Algorithm for Efficient Calculation.. - Lambert, Darden.. (1995)

(Correct) (4 citations)

Potentials in Macroscopic Periodic Assemblies of **Particles** Submitted for publication

January 1995 Revised

regions can be grouped together into a single **net** multipole expansion describing the potential due

can be shifted and added together to form a single **net** multipole expansion, and the process can be

www.cs.duke.edu/~lambert/papers/TR95-001a.ps.Z

Disorder in the 1D spinless Holstein model. - Benfatto, Gallavotti, Lebowitz (Correct)

momentum rather than at fixed For the free **particle** system, corresponding to 0, the Fermi is also part of the research program of the European **Network** on: Stability and Universality in Classical

mpej.unige.ch/mp\_arc/c/95/95-222.ps.gz

On the Aharonov-Bohm Hamiltonian - Adami, Teta (1998) (Correct) (3 citations)

dynamics of a non relativistic, spinless quantum **particle** interacting with a magnetic field confined in a

mpej.unige.ch/mp\_arc/html/mp\_arc/c/97/97-37.ps.gz

Region of Magnetic Dominance Near a Rotating Black Hole - Karas, Dovciak (Correct)

Processes of collimation of electrically charged **particles** near a rotating black hole are discussed. It is

preprints.cern.ch/archive/electronic/gr-qc/9703/9703014.ps.gz

Clustering In A Continuum Percolation Model - Quintanilla, Torquato (1996) (Correct)

blob model. The study of clustering behavior of **particles** in continuum systems is of importance in  
 L291-L299. 5] Gilbert, E. N. 1961) Random plane **networks**. J. SIAM 9, 533-543. 6] Given, J. A. Kim,  
[cherrypit.princeton.edu/papers/QT3.ps](http://cherrypit.princeton.edu/papers/QT3.ps)

Three-Particle Bose-Einstein Correlations - a sensitive probe for .. - Ringnér (Correct)  
 Three-**Particle** Bose-Einstein Correlations -A Sensitive Probe  
[www.thep.lu.se/tf2/staff/markus/projects/papers/cf98.ps.gz](http://www.thep.lu.se/tf2/staff/markus/projects/papers/cf98.ps.gz)

Superstrings and Dark Matter - Dick, Eschrich, Gaul (1998) (Correct)  
 of astronomers, astrophysicists, relativists and **particle** physicists, and has implications for our  
[library.mppmu.mpg.de/mp4s/dbase/1998/th/09\\_22\\_17\\_06\\_00.ps.gz](http://library.mppmu.mpg.de/mp4s/dbase/1998/th/09_22_17_06_00.ps.gz)

Visualization of 3-D Vector Fields: Variations on a Stream - Darmofal, Haimes (Correct)  
 and accurate implementation of unsteady **particle** paths is presented. 2 Introduction The  
[raphael.mit.edu/visual3/reno92.ps](http://raphael.mit.edu/visual3/reno92.ps)

*First 20 documents* Next 20

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#)  
[DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)